



PHARMACEUTICAL/MEDICAL GRADE TUBING | GENERAL PURPOSE TUBING

Pharmaceutical / Medical Grade Tubing





Pharmaceutical / Medical Grade Tubing

PHARMACEUTICAL / MEDICAL GRADE TUBING | GENERAL PURPOSE TUBING

VALIDATION GUIDE AND CERTIFICATIONS AVAILABLE.

PVC-FREE PLASTIC TUBING AND HOSE PRODUCTS

With 24 proprietary lines of PVC/DEHP-free plastic tubing, we have the right material for your bio pharma grade tubing, medical grade tubing, beverage tubing, and automotive/ industrial tubing needs.

Eldon James is the industry leader in manufacturing this revolutionary tubing to protect the environment and provide unmatched quality when it comes to industrial tubing needs. All tubing is Shore A tested using ASTM D2240 to determine a hardness range of +/- 4A from published standards.

Our innovative Flexelene® Tubing is available in a variety of sizes, colors, and styles to fit your specific needs. Our Flexelene 135C is a TPE and is the #1 alternative to silicone tubing.

WHY USE PVC-FREE TUBING?

Eldon James has taken the lead in producing a safe alternative with PVC-free tubing that never sacrifices quality. PVC, or polyvinyl chloride, is known to leach pollutants and phthalates which can be harmful to the environment and people.

Our green manufacturing materials and processes are purposefully chosen to minimize the pollution caused during their lifecycle.

Easy to recycle, phthalate-free, our non-PVC tubing is the premier choice for medical tubing, industrial, and beverage line tubing, and a whole lot more.



**ELDON JAMES IS THE INDUSTRY LEADER IN MANUFACTURING
THIS REVOLUTIONARY TUBING TO PROTECT THE ENVIRONMENT**



Pharmaceutical Grade Tubing

Flexelene® 135C Series

TO ORDER TUBING, SIMPLY USE THE **PRODUCT NO.**

Custom sizes available.



Flexelene® 135C is designed for use for fluid transfer and use in peristaltic pump applications. These products are manufactured from a thermoplastic elastomer (TPE) material that is very durable. Initial testing results with 135C tubing confirm that the peristaltic life cycle exceeds 500 hours.

- RoHS compliant
- USP 661 certification
- ISO 10993-5 – non-cytotoxic
- ISO 10993-4 – non-hemolytic
- PVC FREE – No DEHP additives
- BPOG compliant leachables and extractables
- Low gas and oxygen permeability
- No halogens or phthalates
- Low protein binding
- Non-pyrogenic material
- Thermally weldable
- Non-animal derived

FLXC.5-1.5 Flexelene 135C • 1/32 inch ID x 3/32 inch OD • 50 ft Length

FLXC1-2 Flexelene 135C • 1/16 inch ID x 1/8 inch OD • 50 ft Length

FLXC1-2MM Flexelene 135C • 1 mm ID x 2 mm OD • 50 ft Length

FLXC1-3 Flexelene 135C • 1/16 inch ID x 3/16 inch OD • 50 ft Length

FLXC1.5-2.5 Flexelene 135C • 3/32 inch ID x 5/32 inch OD • 50 ft Length


FLXC1.85-3.45MM Flexelene 135C • 1.85 mm ID X 3.45 mm OD

FLXC2-3 Flexelene 135C • 1/8 inch ID x 3/16 inch OD • 50 ft Length

FLXC2-4 Flexelene 135C • 1/8 inch ID x 1/4 inch OD • 50 ft Length

Pharmaceutical Grade Tubing

Flexelene® 135C Series (CONTINUED)



Custom sizes available.

FLXC2-4MM Flexelene 135C • 2 mm ID x 4 mm OD • 50 ft Length

FLXC3-4 Flexelene 135C • 3/16 inch ID x 1/4 inch OD • 50 ft Length

FLXC3-5 Flexelene 135C • 3/16 inch ID x 5/16 inch OD • 50 ft Length

FLXC3-6 Flexelene 135C • 3/16 inch ID x 3/8 inch OD • 50 ft Length

FLXC4-6 Flexelene 135C • 1/4 inch ID x 3/8 inch OD • 50 ft Length

FLXC4-7 Flexelene 135C • 1/4 inch ID x 7/16 inch OD • 50 ft Length

FLXC4-7MM Flexelene 135C • 4 mm ID x 7 mm OD • 50 ft Length

FLXC4-8 Flexelene 135C • 1/4 inch ID x 1/2 inch OD • 50 ft Length

FLXC4.8-6.4MM Flexelene 135C • 4.8 mm ID x 6.4 mm OD • 50 ft Length

FLXC5-7 Flexelene 135C • 5/16 inch ID x 7/16 inch OD • 50 ft Length

FLXC5-8 Flexelene 135C • 5/16 inch ID x 1/2 inch OD • 50 ft Length

Pharmaceutical Grade Tubing

Flexelene® 135C Series (CONTINUED)

FLXC5-8MM Flexelene 135C • 5 mm ID x 8 mm OD • 50 ft Length

FLXC6-8 Flexelene 135C • 3/8 inch ID x 1/2 inch OD • 50 ft Length

FLXC6-9 Flexelene 135C • 3/8 inch ID x 9/16 inch OD • 50ft Length

FLXC6-10 Flexelene 135C • 3/8 inch ID x 5/8 inch OD • 50 ft Length

FLXC8-10 Flexelene 135C • 3/8 inch ID x 5/8 inch OD • 50ft Length

FLXC8-12 Flexelene 135C • 1/2 inch ID x 3/4 inch OD • 50 ft Length

FLXC10-14 Flexelene 135C • 5/8 inch ID x 7/8 inch OD • 50 ft Length

FLXC10-14MM Flexelene 135C • 10 mm ID x 14 mm OD • 50 ft Length

FLXC12-14 Flexelene 135C • 3/4 inch ID x 7/8 inch OD • 50 ft Length

FLXC12-16 Flexelene 135C • 3/4 inch ID x 1 inch OD • 50 ft Length

FLXC16-20 Flexelene 135C • 1 inch ID x 1-1/4 inch OD • 50 ft Length

FLXC19.2-25.4MM Flexelene 135C • 19.2 mm ID x 25.4 mm OD • 50 ft Length

SALES / ORDER INQUIRIES:

☎ 970-667-2728 📄 970-667-3204

✉ sales@eldonjames.com

🌐 eldonjames.com/tubing



Shop All
Tubing

Pharmaceutical Grade Tubing

Braided Reinforced Flexelene® 135C Series


HOW TO BUILD YOUR BRAIDED REINFORCED FLEXELENE 135C SERIES SKU

PRODUCT NO. - [MATERIAL LENGTH]



FLXCBR2-6-25

Custom sizes available by special order.
Contact sales@eldonjames.com for a quote.



Custom sizes available.

Braided Flexelene® 135C has been developed to meet the critical demands of bioprocess, medical and laboratory applications. This newly formulated TPE (thermoplastic elastomer) tubing is an excellent alternative to silicone and other high purity applications. Validation guides are available upon request.

Ideal for ultra-pure fluid transfer and meets a diverse range of pharmaceutical, medical, and bioprocessing applications.

- Autoclave to 135C - multiple cycles
- Meets all requirements of CGLP, CFR, USP Class VI, USP 661, European Pharmacopoeia, ISO, and other special test requirements
- BPOG compliant leachables and extractables
- Durable
- High-pressure applications
- Sterilized by Ethylene Oxide (EtO)
- Gamma resistance to 45 kGy
- Temperature range -50° C to 135° C (-58° F to 275° F)
- RoHS compliant
- 68 Shore A hardness

FLXCBR2-6 Braided Reinforced Flexelene 135C • 1/8 inch ID x 3/8 inch OD

25ft • 50ft • Custom Lengths available

FLXCBR4-8 Braided Reinforced Flexelene 135C • 1/4 inch ID x 1/2 inch OD

25ft • 50ft • Custom Lengths available

FLXCBR6-10 Braided Reinforced Flexelene 135C • 3/8 inch ID x 5/8 inch OD


25ft • 50ft • Custom Lengths available

FLXCBR8-12 Braided Reinforced Flexelene 135C • 1/2 inch ID x 3/4 inch OD

25ft • 50ft • Custom Lengths available

Pharmaceutical Grade Tubing

Braided Reinforced Flexelene® 135C Series (CONTINUED)



Custom sizes available.

FLXCBR10-16 Braided Reinforced Flexelene 135C • 5/8 inch ID x 1 inch OD

25ft • 50ft • Custom Lengths available

FLXCBR12-18 Braided Reinforced Flexelene 135C • 3/4 inch ID x 1-1/8 inch OD

25ft • 50ft • Custom Lengths available

FLXCBR16-22 Braided Reinforced Flexelene 135C • 1 inch ID x 1-3/8 inch OD

25ft • 50ft • Custom Lengths available

SALES / ORDER INQUIRIES:

📞 970-667-2728 🖨️ 970-667-3204

✉️ sales@eldonjames.com

🌐 eldonjames.com/tubing



Shop All
Tubing

Pharmaceutical Grade Tubing

Soft Flexelene® 121C Series

TO ORDER, SIMPLY USE THE **PRODUCT NO.**



Custom sizes available.

Flexelene 121C is designed for use in peristaltic pump applications. These products are manufactured from a thermoplastic elastomer (TPE) material that is very durable.

- Autoclavable to 121C
- USP Class VI rating
- RoHS compliant
- PVC FREE – No phthalate plasticizers or DEHP additives
- USP 661, BPOG compliant ultra-low extractables and leachables
- Low gas and oxygen permeability
- Ultra-clear and flexible
- 55 Shore A hardness

SFLXC.5-1.5 Soft Flexelene 121C Tubing • 1/32 inch ID x 3/32 inch OD • 50 ft Length

SFLXC1.5-2.5 Soft Flexelene 121C Tubing • 3/32 inch ID x 5/32 inch OD • 50 ft Length

SFLXC1-2 Soft Flexelene 121C Tubing • 1/16 inch ID x 1/8 inch OD • 50 ft Length

SFLXC2-3 Soft Flexelene 121C Tubing • 1/8 inch ID x 3/16 inch OD • 50 ft Length

SFLXC2-4 Soft Flexelene 121C Tubing • 1/8 inch ID x 1/4 inch OD • 50 ft Length

SFLXC3-4 Soft Flexelene 121C Tubing • 3/16 inch ID x 1/4 inch OD • 50 ft Length

SFLXC3-5 Soft Flexelene 121C Tubing • 3/16 inch ID x 5/16 inch OD • 50 ft Length

SFLXC4-6 Soft Flexelene 121C Tubing • 1/4 inch ID x 3/8 inch OD • 50 ft Length

SFLXC4-6MM Soft Flexelene 121C Tubing • 4 mm ID x 6 mm OD • 50 ft Length

Pharmaceutical Grade Tubing

Soft Flexelene® 121C Series (CONTINUED)



Custom sizes available.

SFLXC4-8 Soft Flexelene 121C Tubing • 1/4 inch ID x 1/2 inch OD • 50 ft Length

SFLXC5-7 Soft Flexelene 121C Tubing • 5/16 inch ID x 7/16 inch OD • 50 ft Length

SFLXC6-10 Soft Flexelene 121C Tubing • 3/8 inch ID x 5/8 inch OD • 50 ft Length

SFLXC6-8 Soft Flexelene 121C Tubing • 3/8 inch ID x 1/2 inch OD • 50 ft Length

SFLXC8-12 Soft Flexelene 121C Tubing • 1/2 inch ID x 3/4 inch OD • 50 ft Length

SFLXC10-14 Soft Flexelene 121C Tubing • 5/8 inch ID x 7/8 inch OD • 50 ft Length

SFLXC12-16 Soft Flexelene 121C Tubing • 3/4 inch ID x 1 inch OD • 50 ft Length

SFLXC16-20 Soft Flexelene 121C Tubing • 1 inch ID x 1-1/4 inch OD • 50 ft Length

SALES / ORDER INQUIRIES:

📞 970-667-2728 🖨️ 970-667-3204

✉️ sales@eldonjames.com

🌐 eldonjames.com/tubing



Shop All
Tubing

Medical Grade Tubing

Soft Flexelene®

TO ORDER, SIMPLY USE THE **PRODUCT NO.**



Custom sizes available.

- USP Class VI – biomedical tubing
- Non-animal derived
- USP 661
- High transparency
- Heat-sealable
- PVC FREE – No phthalate plasticizers or DEHP additives
- Latex free
- High purity POE material with full validation guide available
- 76 Shore A hardness

SFX.5-1.5 SFX® • 1/32 inch ID x 3/32 inch OD • 100 ft Length

SFX1-2 SFX® • 1/16 inch ID x 1/8 inch OD • 100 ft Length

SFX1.5-2.5 SFX® • 3/32 inch ID x 5/32 inch OD • 100 ft Length

SFX170-3 SFX® • .170 ID x 3/16 inch OD • 100 ft Length

SFX170-4 SFX® • 11/64 inch ID x 1/4 inch OD • 100 ft Length

SFX2-3 SFX® • 1/8 inch ID x 3/16 inch OD • 100 ft Length


SFX2-4 SFX® • 1/8 inch ID x 1/4 inch OD • 100 ft Length

SFX3-4 SFX® • 3/16 inch ID x 1/4 inch OD • 100 ft Length

SFX3-5 SFX® • 3/16 inch ID x 5/16 inch OD • 100 ft Length

Medical Grade Tubing

Soft Flexelene® (CONTINUED)



Custom sizes available.

SFX4-6 SFX® • 1/4 inch ID x 3/8 inch OD • 100 ft Length

SFX5-7 SFX® • 5/16 inch ID x 7/16 inch OD • 100 ft Length

SFX6-8 SFX® • 3/8 inch ID x 1/2 inch OD • 100 ft Length

SFX8-12 SFX® • 1/2 inch ID x 3/4 inch OD • 100 ft Length

SFX10-14 SFX® • 3/4 inch ID x 7/8 inch OD • 100 ft Length

SFX12-16 SFX® • 3/4 inch ID x 1 inch OD • 100 ft Length

SALES / ORDER INQUIRIES:

📞 970-667-2728 🖨️ 970-667-3204

✉️ sales@eldonjames.com

🌐 eldonjames.com/tubing



Shop All
Tubing

Medical Grade Tubing

Flexelene® MFX Series

TO ORDER TUBING, SIMPLY USE THE **PRODUCT NO.**



Custom sizes available.

- USP Class VI – biomedical tubing
- Non-animal derived
- Compliant
- Ultra-low extractables / leachables
- Non-cytotoxic
- Non-allergenic
- Heat-sealable
- PVC FREE – No phthalate plasticizers, or DEHP additives
- Meets USP
- Latex free
- Cleanroom manufactured
- Recyclable
- 73 Shore A hardness

MFX.5-2 Medical Flexelene Tubing • 1/32 inch ID x 1/8 inch OD • 50 ft Length

MFX1-2 Medical Flexelene Tubing • 1/16 inch ID x 1/8 inch OD • 50 ft Length

MFX1.5-2.5 Medical Flexelene Tubing • 3/32 inch ID x 5/32 inch OD • 50 ft Length

MFX2.8MM-4.4MM Medical Flexelene Tubing • 2.8 mm ID x 4.4 mm OD • 50 ft Length

MFX2-4 Medical Flexelene Tubing • 1/8 inch ID x 1/4 inch OD • 50 ft Length

MFX3-4 Medical Flexelene Tubing • 3/16 inch ID x 1/4 inch OD • 50 ft Length

MFX3-5 Medical Flexelene Tubing • 3/16 inch ID x 5/16 inch OD • 50 ft Length

MFX4-6 Medical Flexelene Tubing • 1/4 inch ID x 3/8 inch OD • 50 ft Length

Medical Grade Tubing

Flexelene® MFX Series (CONTINUED)



MFX5-7 Medical Flexelene Tubing • 5/16 inch ID x 7/16 inch OD • 50 ft Length

MFX6-8 Medical Flexelene Tubing • 3/8 inch ID x 1/2 inch OD • 50 ft Length

MFX8-12 Medical Flexelene Tubing • 1/2 inch ID x 3/4 inch OD • 50 ft Length

MFX10-14 Medical Flexelene Tubing • 5/8 inch ID x 7/8 inch OD • 50 ft Length

MFX12-14 Medical Flexelene Tubing • 3/4 inch ID x 7/8 inch OD • 50 ft Length

MFX12-16 Medical Flexelene Tubing • 3/4 inch ID x 1 inch OD • 50 ft Length

MFX16-20 Medical Flexelene Tubing • 1 inch ID x 1-1/4 inch OD • 50 ft Length

SALES / ORDER INQUIRIES:

📞 970-667-2728 📠 970-667-3204

✉️ sales@eldonjames.com

🌐 eldonjames.com/tubing



Shop All
Tubing

Medical Grade Tubing

73M – Flexelene® MFX Series

TO ORDER TUBING, SIMPLY USE THE **PRODUCT NO.**



Custom sizes available.

- USP Class VI – biomedical tubing
- Non-animal derived
- Compliant
- Ultra-low extractables / leachables
- Non-cytotoxic
- Non-allergenic
- Heat-sealable
- PVC FREE – No phthalate plasticizers, or DEHP additives
- Meets USP
- Latex free
- Cleanroom manufactured
- Recyclable
- 73 Shore A hardness

MFX73M.5-2 Medical Flexelene 73M Shore A Tubing • 1/32 inch ID x 1/8 inch OD • 50 ft Length

MFX73M1-2 Medical Flexelene 73M Shore A Tubing • 1/16 inch ID x 1/8 inch OD • 50 ft Length

MFX73M1.5-2.5 Medical Flexelene 73M Shore A Tubing • 3/32 inch ID x 5/32 inch OD • 50 ft Length

MFX73M2-4 Medical Flexelene 73M Shore A Tubing • 1/8 inch ID x 1/4 inch OD • 50 ft Length

MFX73M3-4 Medical Flexelene 73M Shore A Tubing • 3/16 inch ID x 1/4 inch OD • 50 ft Length

MFX73M3-5 Medical Flexelene 73M Shore A Tubing • 3/16 inch ID x 5/16 inch OD • 50 ft Length

MFX73M4-6 Medical Flexelene 73M Shore A Tubing • 1/4 inch ID x 3/8 inch OD • 50 ft Length

MFX73M5-7 Medical Flexelene 73M Shore A Tubing • 5/16 inch ID x 7/16 inch OD • 50 ft Length

Medical Grade Tubing

73M – Flexelene® MFX Series (CONTINUED)



Custom sizes available.

MFX73M6-8 Medical Flexelene 73M Shore A Tubing • 3/8 inch ID x 1/2 inch OD • 50 ft Length

MFX73M8-12 Medical Flexelene 73M Shore A Tubing • 1/2 inch ID x 3/4 inch OD • 50 ft Length

MFX73M10-14 Medical Flexelene 73M Shore A Tubing • 5/8 inch ID x 7/8 inch OD • 50 ft Length

MFX73M12-16 Medical Flexelene 73M Shore A Tubing • 3/4 inch ID x 1 inch OD • 50 ft Length

MFX73M16-20 Medical Flexelene 73M Shore A Tubing • 1 inch ID x 1-1/4 inch OD • 50 ft Length

SALES / ORDER INQUIRIES:

📞 970-667-2728 🖨️ 970-667-3204

✉️ sales@eldonjames.com

🌐 eldonjames.com/tubing



Shop All
Tubing

Medical Grade Tubing

82M – Flexelene® MFX Series

TO ORDER TUBING, SIMPLY USE THE **PRODUCT NO.**



Custom sizes available.

- USP Class VI – biomedical tubing
- Non-animal derived
- Compliant
- Ultra-low extractables / leachables
- Non-cytotoxic
- Non-allergenic
- Heat-sealable
- PVC FREE – No phthalate plasticizers, or DEHP additives
- Meets USP
- Latex free
- Cleanroom manufactured
- Recyclable
- 82 Shore A hardness

MF82M.5-2 Medical Flexelene 82M Shore A Tubing • 1/32 inch ID x 1/8 inch OD • 50 ft Length

MF82M1-2 Medical Flexelene 82M Shore A Tubing • 1/16 inch ID x 1/8 inch OD • 50 ft Length

MF82M1.5-2.5 Medical Flexelene 82M Shore A Tubing • 3/32 inch ID x 5/32 inch OD • 50 ft Length

MF82M2-4 Medical Flexelene 82M Shore A Tubing • 1/8 inch ID x 1/4 inch OD • 50 ft Length

MF82M3-4 Medical Flexelene 82M Shore A Tubing • 3/16 inch ID x 1/4 inch OD • 50 ft Length

MF82M3-5 Medical Flexelene 82M Shore A Tubing • 3/16 inch ID x 5/16 inch OD • 50 ft Length

MF82M4-6 Medical Flexelene 82M Shore A Tubing • 1/4 inch ID x 3/8 inch OD • 50 ft Length

MF82M5-7 Medical Flexelene 82M Shore A Tubing • 5/16 inch ID x 7/16 inch OD • 50 ft Length

Medical Grade Tubing

82M – Flexelene® MFX Series (CONTINUED)



Custom sizes available.

MFX82M6-8 Medical Flexelene 82M Shore A Tubing • 3/8 inch ID x 1/2 inch OD • 50 ft Length

MFX82M8-12 Medical Flexelene 82M Shore A Tubing • 1/2 inch ID x 3/4 inch OD • 50 ft Length

MFX82M10-14 Medical Flexelene 82M Shore A Tubing • 5/8 inch ID x 7/8 inch OD • 50 ft Length

MFX82M12-16 Medical Flexelene 82M Shore A Tubing • 3/4 inch ID x 1 inch OD • 50 ft Length

MFX82M16-20 Medical Flexelene 82M Shore A Tubing • 1 inch ID x 1-1/4 inch OD • 50 ft Length

SALES / ORDER INQUIRIES:

☎ 970-667-2728 🖨 970-667-3204

✉ sales@eldonjames.com

🌐 eldonjames.com/tubing



Shop All
Tubing

Medical Grade Tubing

92R – Flexelene® MFX Series

TO ORDER TUBING, SIMPLY USE THE **PRODUCT NO.**



Custom sizes available.

- USP Class VI – biomedical tubing
- Non-animal derived
- Compliant
- Ultra-low extractables / leachables
- Non-cytotoxic
- Non-allergenic
- Heat-sealable
- PVC FREE – No phthalate plasticizers, or DEHP additives
- Meets USP
- Latex free
- Cleanroom manufactured
- Recyclable
- 92 Shore A Hardness

MF92R.5-2 Medical Flexelene 92R Shore A Tubing • 1/32 inch ID x 1/8 inch OD • 50 ft Length

MF92R1-2 Medical Flexelene 92R Shore A Tubing • 1/16 inch ID x 1/8 inch OD • 50 ft Length

MF92R1.5-2.5 Medical Flexelene 92R Shore A Tubing • 3/32 inch ID x 5/32 inch OD • 50 ft Length

MF92R2-4 Medical Flexelene 92R Shore A Tubing • 1/8 inch ID x 1/4 inch OD • 50 ft Length

MF92R3-4 Medical Flexelene 92R Shore A Tubing • 3/16 inch ID x 1/4 inch OD • 50 ft Length

MF92R3-5 Medical Flexelene 92R Shore A Tubing • 3/16 inch ID x 5/16 inch OD • 50 ft Length

MF92R4-6 Medical Flexelene 92R Shore A Tubing • 1/4 inch ID x 3/8 inch OD • 50 ft Length

MF92R5-7 Medical Flexelene 92R Shore A Tubing • 5/16 inch ID x 7/16 inch OD • 50 ft Length

Medical Grade Tubing

92R – Flexelene® MFX Series (CONTINUED)



Custom sizes available.

MFX92R6-8 Medical Flexelene 92R Shore A Tubing • 3/8 inch ID x 1/2 inch OD • 50 ft Length

MFX92R8-12 Medical Flexelene 92R Shore A Tubing • 1/2 inch ID x 3/4 inch OD • 50 ft Length

MFX92R10-14 Medical Flexelene 92R Shore A Tubing • 5/8 inch ID x 7/8 inch OD • 50 ft Length

MFX92R12-16 Medical Flexelene 92R Shore A Tubing • 3/4 inch ID x 1 inch OD • 50 ft Length

MFX92R16-20 Medical Flexelene 92R Shore A Tubing • 1 inch ID x 1-1/4 inch OD • 50 ft Length

SALES / ORDER INQUIRIES:

☎ 970-667-2728 🖨 970-667-3204

✉ sales@eldonjames.com

🌐 eldonjames.com/tubing




Shop All
Tubing

Medical Grade Tubing

66E – Flexelene® FLXE Series

TO ORDER TUBING, SIMPLY USE THE **PRODUCT NO.**

Custom sizes available.



Flexelene® FLXE Series is a TPE available in a range of Shore A hardness blends from 66 to 95. 66E to 95E thermoplastic elastomer tubing is autoclavable, but temperature resistance decreases proportionally with lower Shore hardness.

Because extractables and leachables are very low, it is suitable for use in neonatal medical applications. The blend variables offered with Flexelene® E open a wide range of custom extrusion options.

- Non-animal derived
- Neonatal applications
- USP 661
- Ultra-low extractables / leachables
- PVC Free – No phthalate plasticizers or DEHP additives
- Latex & halogen free
- Meets ISO 10993-4, ISO 10993-5
- Low protein binding

FLX66E.5-1.5 Flexelene 66E Tubing • 1/32 inch ID x 3/32 inch OD • 50 ft Length

FLX66E1-2 Flexelene 66E Tubing • 1/16 inch ID x 1/8 inch OD • 50 ft Length

FLX66E1.5-2.5 Flexelene 66E Tubing • 3/32 inch ID x 5/32 inch OD • 50 ft Length

FLX66E2-3 Flexelene 66E Tubing • 1/8 inch ID x 3/16 inch OD • 50 ft Length

FLX66E2-4 Flexelene 66E Tubing • 1/8 inch ID x 1/4 inch OD • 50 ft Length


FLX66E3-4 Flexelene 66E Tubing • 3/16 inch ID x 1/4 inch OD • 50 ft Length

FLX66E3-5 Flexelene 66E Tubing • 3/16 inch ID x 5/16 inch OD • 50 ft Length

FLX66E4-6 Flexelene 66E Tubing • 1/4 inch ID x 3/8 inch OD • 50 ft Length

Medical Grade Tubing

66E – Flexelene® FLXE Series (CONTINUED)



Custom sizes available.

FLX66E5-7 Flexelene 66E Tubing • 5/16 inch ID x 7/16 inch OD • 50 ft Length

FLX66E6-8 Flexelene 66E Tubing • 3/8 inch ID x 1/2 inch OD • 50 ft Length

FLX66E8-12 Flexelene 66E Tubing • 1/2 inch ID x 3/4 inch OD • 50 ft Length

FLX66E10-14 Flexelene 66E Tubing • 5/8 inch ID x 7/8 inch OD • 50 ft Length

FLX66E12-14 Flexelene 66E Tubing • 3/4 inch ID x 7/8 inch OD • 50 ft Length

FLX66E12-16 Flexelene 66E Tubing • 3/4 inch ID x 1 inch OD • 50 ft Length

FLX66E16-20 Flexelene 66E Tubing • 1 inch ID x 1-1/4 inch OD • 50 ft Length

SALES / ORDER INQUIRIES:

📞 970-667-2728 📠 970-667-3204

✉️ sales@eldonjames.com

🌐 eldonjames.com/tubing




Shop All
Tubing

Medical Grade Tubing

75E – Flexelene® FLXE Series

TO ORDER TUBING, SIMPLY USE THE **PRODUCT NO.**

Custom sizes available.



Flexelene® FLXE Series is a TPE available in a range of Shore A hardness blends from 66 to 95. 66E to 95E thermoplastic elastomer tubing is autoclavable, but temperature resistance decreases proportionally with lower Shore hardness.

Because extractables and leachables are very low, it is suitable for use in neonatal medical applications. The blend variables offered with Flexelene® E open a wide range of custom extrusion options.

- Non-animal derived
- Neonatal applications
- Ultra-low extractables / leachables
- PVC Free – No phthalate plasticizers or DEHP additives
- Latex & halogen free
- Meets ISO 10993-4, ISO 10993-5
- Low protein binding

FLX75E.5-1.5 Flexelene 75E Tubing • 1/32 inch ID x 3/32 inch OD • 50 ft Length

FLX75E1-2 Flexelene 75E Tubing • 1/16 inch ID x 1/8 inch OD • 50 ft Length

FLX75E1.5-2.5 Flexelene 75E Tubing • 3/32 inch ID x 5/32 inch OD • 50 ft Length

FLX75E170-4 Flexelene 75E Tubing • 11/64 inch ID x 1/4 inch OD • 50 ft Length

FLX75E2-3 Flexelene 75E Tubing • 1/8 inch ID x 3/16 inch OD • 50 ft Length


FLX75E2-4 Flexelene 75E Tubing • 1/8 inch ID x 1/4 inch OD • 50 ft Length

FLX75E3-4 Flexelene 75E Tubing • 3/16 inch ID x 1/4 inch OD • 50 ft Length

FLX75E3-5 Flexelene 75E Tubing • 3/16 inch ID x 5/16 inch OD • 50 ft Length

Medical Grade Tubing

75E – Flexelene® FLXE Series (CONTINUED)



Custom sizes available.

FLX75E4-6 Flexelene 75E Tubing • 1/4 inch ID x 3/8 inch OD • 50 ft Length

FLX75E5-7 Flexelene 75E Tubing • 5/16 inch ID x 7/16 inch OD • 50 ft Length

FLX75E6-8 Flexelene 75E Tubing • 3/8 inch ID x 1/2 inch OD • 50 ft Length

FLX75E8-12 Flexelene 75E Tubing • 1/2 inch ID x 3/4 inch OD • 50 ft Length

FLX75E10-14 Flexelene 75E Tubing • 5/8 inch ID x 7/8 inch OD • 50 ft Length

FLX75E12-16 Flexelene 75E Tubing • 3/4 inch ID x 1 inch OD • 50 ft Length

FLX75E16-20 Flexelene 75E Tubing • 1 inch ID x 1-1/4 inch OD • 50 ft Length

SALES / ORDER INQUIRIES:

📞 970-667-2728 🖨️ 970-667-3204

✉️ sales@eldonjames.com

🌐 eldonjames.com/tubing




Shop All
Tubing

Medical Grade Tubing

84E – Flexelene® FLXE Series

TO ORDER TUBING, SIMPLY USE THE **PRODUCT NO.**

Custom sizes available.



Flexelene® FLXE Series is a TPE available in a range of Shore A hardness blends from 66 to 95. 66E to 95E thermoplastic elastomer tubing is autoclavable, but temperature resistance decreases proportionally with lower Shore hardness.

Because extractables and leachables are very low, it is suitable for use in neonatal medical applications. The blend variables offered with Flexelene® E open a wide range of custom extrusion options.

- Non-animal derived
- Neonatal applications
- Ultra-low extractables / leachables
- PVC Free – No phthalate plasticizers or DEHP additives
- Latex & halogen free
- Meets ISO 10993-4, ISO 10993-5
- Low protein binding

FLX84E.5-1.5 Flexelene 84E Tubing • 1/32 inch ID x 3/32 inch OD • 50 ft Length

FLX84E1-2 Flexelene 84E Tubing • 1/16 inch ID x 1/8 inch OD • 50 ft Length

FLX84E1.5-2.5 Flexelene 84E Tubing • 3/32 inch ID x 5/32 inch OD • 50 ft Length

FLX84E2-3 Flexelene 84E Tubing • 1/8 inch ID x 3/16 inch OD • 50 ft Length

FLX84E2-4 Flexelene 84E Tubing • 1/8 inch ID x 1/4 inch OD • 50 ft Length


FLX84E3-4 Flexelene 84E Tubing • 3/16 inch ID x 1/4 inch OD • 50 ft Length

FLX84E3-5 Flexelene 84E Tubing • 3/16 inch ID x 5/16 inch OD • 50 ft Length

FLX84E4-6 Flexelene 84E Tubing • 1/4 inch ID x 3/8 inch OD • 50 ft Length

Medical Grade Tubing

84E – Flexelene® FLXE Series (CONTINUED)



Custom sizes available.

FLX84E4MM-6MM Flexelene 84E Tubing • 4 mm ID x 6 mm OD • 50 ft Length

FLX84E5-7 Flexelene 84E Tubing • 5/16 inch ID x 7/16 inch OD • 50 ft Length

FLX84E6-8 Flexelene 84E Tubing • 3/8 inch ID x 1/2 inch OD • 50 ft Length

FLX84E8-12 Flexelene 84E Tubing • 1/2 inch ID x 3/4 inch OD • 50 ft Length

FLX84E10-14 Flexelene 84E Tubing • 5/8 inch ID x 7/8 inch OD • 50 ft Length

FLX84E12-16 Flexelene 84E Tubing • 3/4 inch ID x 1 inch OD • 50 ft Length

FLX84E16-20 Flexelene 84E Tubing • 1 inch ID x 1-1/4 inch OD • 50 ft Length

SALES / ORDER INQUIRIES:

📞 970-667-2728 📠 970-667-3204

✉️ sales@eldonjames.com

🌐 eldonjames.com/tubing




Shop All
Tubing

Medical Grade Tubing

95E – Flexelene® FLXE Series

TO ORDER TUBING, SIMPLY USE THE **PRODUCT NO.**

Custom sizes available.



Flexelene® FLXE Series is a TPE available in a range of Shore A hardness blends from 66 to 95. 66E to 95E thermoplastic elastomer tubing is autoclavable, but temperature resistance decreases proportionally with lower Shore hardness.

Because extractables and leachables are very low, it is suitable for use in neonatal medical applications. The blend variables offered with Flexelene® E open a wide range of custom extrusion options.

- Non-animal derived
- Neonatal applications
- Ultra-low extractables / leachables
- PVC Free – No phthalate plasticizers or DEHP additives
- Latex & halogen free
- Meets ISO 10993-4, ISO 10993-5
- Low protein binding

FLX95E.5-1.5 Flexelene 95E Tubing • 1/32 inch ID x 3/32 inch OD • 50 ft Length

FLX95E1-2 Flexelene 95E Tubing • 1/16 inch ID x 1/8 inch OD • 50 ft Length

FLX95E1.5-2.5 Flexelene 95E Tubing • 3/32 inch ID x 5/32 inch OD • 50 ft Length

FLX95E2-3 Flexelene 95E Tubing • 1/8 inch ID x 3/16 inch OD • 50 ft Length

FLX95E2-4 Flexelene 95E Tubing • 1/8 inch ID x 1/4 inch OD • 50 ft Length


FLX95E3-4 Flexelene 95E Tubing • 3/16 inch ID x 1/4 inch OD • 50 ft Length

FLX95E3-5 Flexelene 95E Tubing • 3/16 inch ID x 5/16 inch OD • 50 ft Length

FLX95E4-6 Flexelene 95E Tubing • 1/4 inch ID x 3/8 inch OD • 50 ft Length

Medical Grade Tubing

95E – Flexelene® FLXE Series (CONTINUED)



Custom sizes available.

FLX95E4MM-6MM Flexelene 95E Tubing • 4 mm ID x 6 mm OD • 50 ft Length

FLX95E5-7 Flexelene 95E Tubing • 5/16 inch ID x 7/16 inch OD • 50 ft Length

FLX95E6-8 Flexelene 95E Tubing • 3/8 inch ID x 1/2 inch OD • 50 ft Length

FLX95E8-12 Flexelene 95E Tubing • 1/2 inch ID x 3/4 inch OD • 50 ft Length

FLX95E10-14 Flexelene 95E Tubing • 5/8 inch ID x 7/8 inch OD • 50 ft Length

FLX95E12-16 Flexelene 95E Tubing • 3/4 inch ID x 1 inch OD • 50 ft Length

FLX95E16-20 Flexelene 95E Tubing • 1 inch ID x 1-1/4 inch OD • 50 ft Length

SALES / ORDER INQUIRIES:

📞 970-667-2728 📠 970-667-3204

✉️ sales@eldonjames.com

🌐 eldonjames.com/tubing



Shop All
Tubing

Pharma/Chemical Grade Tubing

KFLEX Flexible Kynar Lined Tubing

TO ORDER TUBING, SIMPLY USE THE **PRODUCT NO.**

Custom sizes available.



- RoHS compliant
- Low extractables bioprocess tubing
- Pharmaceutical bioprocess medical
- PVC FREE – No DEHP additives
- USP 661, BPOG compliant leachables and extractables
- Low extractables / leachables liner component
- Kynar liner meets USP Class VI requirements
- More flexible than tubing extruded from 100% Kynar
- Non-animal derived Kynar liner
- Low gas and oxygen permeability

KFlex.5-1.5 Flexible Kynar Lined Tubing • 1/32 inch ID x 3/32 inch OD • 50 ft Length

KFlex1-2 Flexible Kynar Lined Tubing • 1/16 inch ID x 1/8 inch OD • 50 ft Length

KFlex1.5-2.5 Flexible Kynar Lined Tubing • 3/32 inch ID x 5/32 inch OD • 50 ft Length

KFlex170-4 Flexible Kynar Lined Tubing • 11/64 inch ID x 1/4 inch OD • 50 ft Length

KFlex2-3 Flexible Kynar Lined Tubing • 1/8 inch ID x 3/16 inch OD • 50 ft Length

KFlex2-4 Flexible Kynar Lined Tubing • 1/8 inch ID x 1/4 inch OD • 50 ft Length

KFlex3-4 Flexible Kynar Lined Tubing • 3/16 inch ID x 1/4 inch OD • 50 ft Length

KFlex3-5 Flexible Kynar Lined Tubing • 3/16 inch ID x 5/16 inch OD • 50 ft Length

Pharma/Chemical Grade Tubing

KFLEX Flexible Kynar Lined Tubing (CONTINUED)



KFlex4-6 Flexible Kynar Lined Tubing • 1/4 inch ID x 3/8 inch OD • 50 ft Length

KFlex5-7 Flexible Kynar Lined Tubing • 5/16 inch ID x 7/16 inch OD • 50 ft Length

KFlex6-8 Flexible Kynar Lined Tubing • 3/8 inch ID x 1/2 inch OD • 50 ft Length

KFlex6MM-8MM Flexible Kynar Lined Tubing • 6 mm ID x 8 mm OD • 50 ft Length

KFlex8-12 Flexible Kynar Lined Tubing • 1/2 inch ID x 3/4 inch OD • 50 ft Length

KFlex10-14 Flexible Kynar Lined Tubing • 5/8 inch ID x 7/8 inch OD • 50 ft Length

KFlex12-16 Flexible Kynar Lined Tubing • 3/4 inch ID x 1 inch OD • 50 ft Length

SALES / ORDER INQUIRIES:

📞 970-667-2728 📠 970-667-3204

✉️ sales@eldonjames.com

🌐 eldonjames.com/tubing



Shop All
Tubing

Pharmaceutical Grade Tubing

EJ Prene® Series

TO ORDER TUBING, SIMPLY USE THE **PRODUCT NO.**

Custom sizes available.



- Superior performance in peristaltic pumps
- Compatible with most CIP solutions and SIP
- Optimum performance and pressure capability
- Precise flow rate
- High chemical resistance
- Environmentally green and safe disposal
- USP 661, BPOG compliant ultra-low extractables and leachables
- Low gas and oxygen permeability
- Custom sizes, lengths, and branding
- 70 Shore A Hardness

EJP.5-1.5 EJ Prene Tubing • 1/32 inch ID x 3/32 inch OD • 50 ft Length

EJP1-2 EJ Prene Tubing • 1/16 inch ID x 1/8 inch OD • 50 ft Length

EJP1.5-2.5 EJ Prene Tubing • 3/32 inch ID x 5/32 inch OD • 50 ft Length

EJP2-3 EJ Prene Tubing • 1/8 inch ID x 3/16 inch OD • 50 ft Length

EJP2-4 EJ Prene Tubing • 1/8 inch ID x 1/4 inch OD 50 ft Length

EJP3-4 EJ Prene Tubing • 3/16 inch ID x 1/4 inch OD • 50 ft Length


EJP3-5 EJ Prene Tubing • 3/16 inch ID x 5/16 inch OD • 50 ft Length

EJP4-6 EJ Prene Tubing • 1/4 inch ID x 3/8 inch OD • 50 ft Length

EJP4-8 EJ Prene Tubing • 1/4 inch ID x 1/2 inch OD • 50 ft Length

Pharmaceutical Grade Tubing

EJ Prene[®] Series (CONTINUED)



Custom sizes available.

EJP5-7 EJ Prene Tubing • 5/16 inch ID x 7/16 inch OD • 50 ft Length

EJP6-8 EJ Prene Tubing • 3/8 inch ID x 1/2 inch OD • 50 ft Length

EJP6-10 EJ Prene Tubing • 3/8 inch ID x 5/8 inch OD • 50 ft Length

EJP8-10 EJ Prene Tubing • 1/2 inch ID x 5/8 inch OD • 50 ft Length

EJP8-12 EJ Prene Tubing • 1/2 inch ID x 3/4 inch OD • 50 ft Length

EJP10-14 EJ Prene Tubing • 5/8 inch ID x 7/8 inch OD • 50 ft Length

EJP12-16 EJ Prene Tubing 3/4 inch ID x 1 inch OD • 50 ft Length

EJP16-20 EJ Prene Tubing • 1 inch ID x 1-1/4 inch OD • 50 ft Length

SALES / ORDER INQUIRIES:

📞 970-667-2728 📠 970-667-3204

✉ sales@eldonjames.com

🌐 eldonjames.com/tubing



Shop All
Tubing

Medical to General Purpose/Industrial Tubing


Flexelene® FX Series

HOW TO BUILD YOUR FLEXELENE FX SERIES SKU

PRODUCT NO. [MATERIAL COLOR CODE] → FX1-2B



Compression Tubing Color Guide



Custom sizes available.

- RoHS Compliant
- Class VI, ISO 10993-4, ISO 10993-5
- Non-animal derived
- UV stable
- Suitable for use with deionized water
- PVC free – No phthalate plasticizers or DEHP additives
- Ultra-low extractables / leachables
- Low gas and oxygen permeability
- Non-cytotoxic – Nonhemolytic
- USP661
- Gamma stable

FX.5-1 Flexelene FX Series Tubing • 1/32 inch ID x 1/16 inch OD • 100 ft Length

N

FX1-2 Flexelene FX Series Tubing • 1/16 inch ID x 1/8 inch OD • 100 ft Length

B • G • N • O • R • V • W • X • Y

FX1.5-2.5 Flexelene FX Series Tubing • 3/32 inch ID x 5/32 inch OD • 100 ft Length

B • G • N • O • R • V • W • X • Y

FX170-4 Flexelene FX Series Tubing • 11/65 inch ID x 1/4 inch OD • 100 ft Length

N

Medical to General Purpose/Industrial Tubing

Flexelene® FX Series (CONTINUED)

FX2-3 Flexelene FX Series Tubing • 1/8 inch ID x 3/16 inch OD • 100 ft Length

B · G · N · O · R · V · W · X · Y

FX2-4 Flexelene FX Series Tubing • 1/8 inch ID x 1/4 inch OD • 100 ft Length

B · G · N · O · R · V · W · X · Y

FX3-4 Flexelene FX Series Tubing • 3/16 inch ID x 1/4 inch OD • 100 ft Length

B · G · N · O · R · V · W · X · Y

FX3-5 Flexelene FX Series Tubing • 3/16 inch ID x 5/16 inch OD • 100 ft Length

B · B-LOOP · G · G-LOOP · N · N-LOOP · O · R · R-LOOP · V · V-LOOP · W · X · Y

FX4-6 Flexelene FX Series Tubing • 1/4 inch ID x 3/8 inch OD • 100 ft Length

B · BR · G · LB · N · O · P · R · V · W · X · Y

FX4-8 Flexelene FX Series Tubing • 1/4 inch ID x 1/2 inch OD • 100 ft Length

N

FX5-7 Flexelene FX Series Tubing • 5/16 inch ID x 7/16 inch OD • 100 ft Length

B · G · N · O · R · V · W · X · Y

FX6-8 Flexelene FX Series Tubing • 3/8 inch ID x 1/2 inch OD • 100 ft Length

B · G · N · O · R · V · W · X · Y

FX6-10 Flexelene FX Series Tubing • 3/8 inch ID x 5/8 inch OD • 100 ft Length


N

FX8-10 Flexelene FX Series Tubing • 1/2 inch ID x 5/8 inch OD • 100 ft Length

B · G · N · O · R · V · W · X · Y

Medical to General Purpose/Industrial Tubing

Flexelene® FX Series (CONTINUED)



Custom sizes available.

FX8-12 Flexelene FX Series Tubing • 1/2 inch ID x 3/4 inch OD • 100 ft Length

B • G • N • O • R • V • W • X • Y

FX10-14 Flexelene FX Series Tubing • 5/8 inch ID x 7/8 inch OD • 100 ft Length

B • G • N • O • R • V • W • X • Y

FX12-16 Flexelene FX Series Tubing • 3/4 inch ID x 1 inch OD • 100 ft Length

B • G • N • O • R • V • W • X • Y

FX16-20 Flexelene FX Series Tubing • 1 inch ID x 1-1/4 inch OD • 100 ft Length

B • G • N • O • R • V • W • X • Y

SALES / ORDER INQUIRIES:

📞 970-667-2728 📠 970-667-3204

✉️ sales@eldonjames.com

🌐 eldonjames.com/tubing





Shop All
Tubing

General Purpose/Industrial Tubing

Compression Flexelene® CFX Series

HOW TO BUILD YOUR COMPRESSION FLEXELENE CFX SERIES SKU



Compression Flexelene is manufactured to fit compression fittings where OD is the critical dimension.

For Compression Fitting Use

- RoHS compliant
- Non-animal derived
- UV stable
- Suitable for use with deionized water
- PVC free – no phthalate plasticizers or DEHP additives
- Low extractables/leachables
- Low gas and oxygen permeability
- POE material
- USP 661 compliant

CFX1-2 Compression Flexelene Tubing • 1/16 inch ID x 1/8 inch OD • 100 ft Length

N

CFX2.5MM-4MM Compression Flexelene Tubing • 2.5 mm ID x 4 mm OD • 100 ft Length

G·O·R·V·Y

CFX2-4 Compression Flexelene Tubing • 1/8 inch ID x 1/4 inch OD • 100 ft Length

B·G·N·O·R·V·W·X·Y

CFX170-4 Compression Flexelene Tubing • 11/65 inch ID x 1/4 inch OD • 100 ft Length


B·G·N·O·R·V·W·X·Y

CFX3-4 Compression Flexelene Tubing • 3/16 inch ID x 1/4 inch OD • 100 ft Length

B·G·N·O·R·V·W·X·Y

General Purpose/Industrial Tubing

Compression Flexelene® CFX Series (CONTINUED)



Custom sizes available.

CFX3-5 Compression Flexelene Tubing • 3/16 inch ID x 5/16 inch OD • 100 ft Length

B · G · N · O · R · V · W · X · Y

CFX4-6 Compression Flexelene Tubing • 1/4 inch ID x 3/8 inch OD • 100 ft Length

B · G · N · O · R · V · W · X · Y

CFX4MM-6MM Compression Flexelene Tubing • 4 mm ID x 6 mm OD • 100 ft Length

B · G · O · R · V · Y

CFX5-7 Compression Flexelene Tubing • 5/16 inch ID x 7/16 inch OD • 100 ft Length

B · G · N · O · R · V · W · X · Y

CFX6-10 Compression Flexelene Tubing • 3/8 inch ID x 5/8 inch OD • 100 ft Length

N

CFX6-8 Compression Flexelene Tubing • 3/8 inch ID x 1/2 inch OD • 100 ft Length

B · G · N · O · R · V · W · X · Y

CFX8-10 Compression Flexelene Tubing • 1/2 inch ID x 5/8 inch OD • 100 ft Length

N · X

Polyurethane Tubing

HOW TO BUILD YOUR POLYURETHANE TUBING SKU

PRODUCT NO. [MATERIAL COLOR CODE]

TPU1-2B



Polyurethane material is a material for rugged applications where clarity and resilience are required. Shore A Hardness is pliable 85A.

Compression Tubing Color Guide



Custom sizes available.

TPU1-2 Polyurethane Tubing • 1/16 inch ID x 1/8 inch OD • 100 ft Length

B • L • N • O • R • V • Y

TPU2-3 Polyurethane Tubing • 1/8 inch ID x 3/16 inch OD • 100 ft Length

B • L • N • O • R • V • Y

TPU2-4 Polyurethane Tubing • 1/8 inch ID x 1/4 inch OD • 100 ft Length

B • L • N • O • R • V • Y


TPU3-5 Polyurethane Tubing • 3/16 inch ID x 5/16 inch OD • 100 ft Length

B • L • N • O • R • V • Y

TPU4-6 Polyurethane Tubing • 1/4 inch ID x 3/8 inch OD • 100 ft Length

B • L • N • O • R • V • Y

Polyurethane Tubing (CONTINUED)



Custom sizes available.

TPU5-7 Polyurethane Tubing • 5/16 inch ID x 7/16 inch OD • 100 ft Length

B•L•N•O•R•V•Y

TPU6-8 Polyurethane Tubing • 3/8 inch ID x 1/2 inch OD • 100 ft Length

B•L•N•O•R•V•Y

TPU8-12 Polyurethane Tubing • 1/2 inch ID x 3/4 inch OD • 100 ft Length

B•L•N•O•R•V•Y

TPU10-14 Polyurethane Tubing • 5/8 inch ID x 7/8 inch OD • 100 ft Length

B•L•N•O•R•V•Y

TPU12-16 Polyurethane Tubing • 3/4 inch ID x 1 inch OD • 100 ft Length

B•L•N•O•R•V•Y

TPU16-20 Polyurethane Tubing • 1 inch ID x 1-1/4 inch OD • 100 ft Length

B•L•N•O•R•V•Y

SALES / ORDER INQUIRIES:

☎ 970-667-2728 📠 970-667-3204

✉ sales@eldonjames.com

🌐 eldonjames.com/tubing



Shop All
Tubing